

**The American Hosta Society
2012 Edition**

The Tan Book

**List of Species, Botanical Varieties, and Forms (under the ICN)
and Species reduced to Cultivar Rank (under the ICNCP)**

The Tan Book (for species, varieties, and forms) was first published in print as a companion publication to the *Silver Book* (for cultivars) in 1993. It provided the membership of The American Hosta Society (AHS) with a *List of Species, Botanical Varieties and Forms, and Specioids*. Later editions of this list changed the term “Specioid” to “Species reduced to Cultivar Rank,” to replace the now invalid term “Specioid.” Compiled by the Nomenclature Committee of The American Hosta Society, the 1993 edition was based on taxonomy presented in W. George Schmid’s 1991 monograph *The Genus Hosta - Giboshi Zoku* (ギボウシ属) (London: Batsford, Ltd; Portland, Oregon: Timber Press). This nomenclature was recommended by the AHS Nomenclature Committee in 1993 and accepted by the Board of the AHS; see *THJ*, Vol. 25, No. 2, pp. 41-44.

NOTE: Effective July 2011, the International Botanical Congress replaced the *International Code of Botanical Nomenclature* (ICBN) with the *International Code for Nomenclature for algae, fungi, and plants* (ICN).

In the following document, the left column gives the full botanical name, horticultural, trade names, and incorrect names that have appeared in previous lists; and in the right column the simplified, horticultural name as sanctioned by the AHS is inserted. This list is intended to assist authors, nurseries, gardeners, professional horticulturists, and others who require correct nomenclature for plant labels, catalog entries, and in articles submitted to *The Hosta Journal* and *The Online Hosta Journal*. Species names sanctioned by The American Hosta Society have been simplified by omitting “var.” and “f.” indications as well as the autonym, when the indication of an autonym was required by the ICN. The author citation has also been omitted in the abbreviated names. The full botanical names listed first in the left column are preferred for use in scientific papers and for uses relating to scientific and taxonomic purposes. Gardeners and nurseries who desire short names on labels may prefer the AHS sanctioned, abbreviated name listed in the right column. Explanatory remarks relating to certain placements can be found on each page. From time to time, the Nomenclature Committee of The American Hosta Society will update this list to reflect changes in nomenclature and placements revised by botanists and taxonomists. Correspondence relating to this list is to be directed to the AHS Nomenclature Committee: W. George Schmid (Chair) at HostaHill@bellsouth.net or Warren I. Pollock at giboshiWIP@aol.com.

Registration is not required for the names of former taxa (species, varieties, and forms) that have been reclassified as cultivars in *The Genus Hosta - Giboshi Zoku* by W.G. Schmid (1991). Any taxon reclassified to cultivar rank is established as a taxon and thus does not require registration under the rules. The pertinent information is recorded when a taxon is validly established under the ICN (formerly the ICBN), and when reducing the taxon to cultivar rank under the ICNCP, this information is carried over from the former taxon’s description and such names are registered de facto.

<p>1) Full Botanical Name (date of valid publication has been omitted. Refer to W.G. Schmid, <i>The Genus Hosta-Giboshi Zoku</i> for the valid publication date for each species and sub-species listed)</p> <p>2) Horticultural, Trade, and Incorrect Name(s)</p>	<p>AHS Sanctioned Name</p>
<i>H. aequinoctiantha</i> Koidzumi ex Araki	<i>H. aequinoctiantha</i>
<i>H. albofarinosa</i> Wang	<i>H. albofarinosa</i>
<i>H. alismifolia</i> Maekawa	<i>H. alismifolia</i>
<i>H. atropurpurea</i> Nakai	<i>H. atropurpurea</i>
<p><i>H. bella</i> Wehrhahn</p> <p><i>H. 'Bella'</i> Schmid 1991</p> <p><i>H. 'Bella'</i> is not in the U. S. trade, but some specimens reportedly exist in Germany</p>	<i>H. 'Bella'</i>
<i>H. calliantha</i> Araki	<i>H. calliantha</i>
<i>H. capitata</i> Nakai	<i>H. capitata</i>
<p><i>H. caput-avis</i></p> <p>(SEE <i>H. kikutii</i> var. <i>caput-avis</i>)</p>	
<i>H. cathayana</i> Maekawa	<i>H. cathayana</i>
<p><i>H. chibai</i> and <i>H. tibai</i></p> <p>These names are not validly published. <i>H. tibai</i> is orthographically incorrect and must be changed to <i>H. tibiae</i> to conform to the <i>International Code of Nomenclature for algae, fungi, and plants</i>, Melbourne = ICN (2011).</p> <p>(SEE <i>H. tibiae</i>)</p>	
<p><i>H. clausa</i> (Koidzumi) Nakai var. <i>clausa</i></p> <p>The full botanical name is preferred, but the abbreviated, AHS sanctioned name may also be used. This variety has flowers that do not open.</p>	<i>H. clausa</i>
<p><i>H. clausa</i> var. <i>normalis</i> Maekawa</p> <p>This is the normal form with opening flowers found in the wild.</p>	<i>H. clausa normalis</i>
<p><i>H. clausa</i> var. <i>ensata</i> (Maekawa) Schmid</p> <p>This synonym is used for the Chinese species <i>H. ensata</i>. Refer to W.G.Schmid, <i>The Genus Hosta - Giboshi Zoku</i>, color plate 37 (1991).</p>	<i>H. clausa ensata</i>
<p><i>H. clausa</i> var. <i>stolonifera</i> Schmid</p> <p>This variety propagates by stolons and does not develop flowers. It is not in cultivation.</p>	<i>H. clausa stolonifera</i>

<p>1) Full Botanical Name (date of valid publication has been omitted. Refer to W.G. Schmid, <i>The Genus Hosta-Giboshi Zoku</i> for the valid publication date for each species and sub-species listed)</p> <p>2) Horticultural, Trade, and Incorrect Name(s)</p>	<p>AHS Sanctioned Name</p>
<i>H. clavata</i> Maekawa	<i>H. clavata</i>
<i>H. crassifolia</i> Araki	<i>H. crassifolia</i>
<i>H. crispula</i> Maekawa (This is the white-margined cultivar) <i>H. 'Crispula'</i> Schmid 1991	<i>H. 'Crispula'</i>
<i>H. crispula</i> 'Viridis' Schmid 1991 (The all-green form) <i>H. 'Crispula Viridis'</i> Schmid 1991	<i>H. 'Crispula Viridis'</i>
<i>H. decorata</i> f. <i>decorata</i> Bailey 1930 <i>H. 'Decorata'</i> Schmid 1991	<i>H. 'Decorata'</i>
<i>H. decorata</i> f. <i>normalis</i> Stearn <i>H. 'Decorata Normalis'</i> Schmid 1991 green form.	<i>H. 'Decorata Normalis'</i>
<i>H. densa</i> Maekawa A blue-grey plant in the trade under this name is <i>H. 'Density'</i> and is not <i>H. densa</i> , which has green leaves. Refer to W. G. Schmid, <i>The Genus Hosta - Giboshi Zoku</i> , p. 47 (1991), also Zilis <i>The Hostapedia</i> , p. 233 (2009) for correct identification.	<i>H. densa</i>
<i>H. elata</i> Hylander <i>H. 'Elata'</i> Schmid 1991	<i>H. 'Elata'</i>
<i>H. ensata</i> (SEE <i>H. clausa</i> var. <i>ensata</i>)	
<i>H. fluctuans</i> Maekawa	<i>H. fluctuans</i>
<i>H. fluctuans</i> f. <i>parvifolia</i> Maekawa This species variety is not in the trade (SEE <i>H. fluctuans</i>) <i>H. fluctuans parvifolia</i> <i>H. fluctuans parviflora</i> (Do not use: Orthographically incorrect)	
<i>H. fluctuans</i> 'Variegated' This cultivar name is invalid per the <i>ICNCP</i>	<i>H. 'Sagae'</i> In Japan = 寒河江 = Sagae city in Yamagata Prefecture. This is the correct cultivar name.

<p>1) Full Botanical Name (date of valid publication has been omitted. Refer to W.G. Schmid, <i>The Genus Hosta-Giboshi Zoku</i> for the valid publication date for each species and sub-species listed)</p> <p>2) Horticultural, Trade, and Incorrect Name(s)</p>	<p>AHS Sanctioned Name</p>
<p><i>H. fortunei</i> (Baker) Bailey <i>H. 'Fortunei'</i> Schmid 1991</p>	<p><i>H. 'Fortunei'</i></p>
<p><i>H. fortunei</i> var. <i>albopicta</i> Hylander <i>H. 'Fortunei Albopicta'</i> Schmid 1991</p>	<p><i>H. 'Fortunei Albopicta'</i></p>
<p><i>H. fortunei</i> var. <i>albopicta</i> f. <i>aurea</i> Hylander <i>H. 'Fortunei Aurea'</i> Schmid 1991</p>	<p><i>H. 'Fortunei Aurea'</i></p>
<p><i>H. fortunei</i> var. <i>albopicta</i> f. <i>viridis</i> Hylander <i>H. 'Fortunei Viridis'</i> Schmid 1991</p>	<p><i>H. 'Fortunei Viridis'</i></p>
<p><i>H. fortunei</i> var. <i>aureomarginata</i> Hylander <i>H. 'Fortunei Aureomarginata'</i> Schmid 1991</p>	<p><i>H. 'Fortunei Aureomarginata'</i></p>
<p><i>H. fortunei</i> var. <i>gigantea</i> Bailey <i>H. 'Fortunei Gigantea'</i> Schmid 1991</p>	<p><i>H. 'Fortunei Gigantea'</i></p>
<p><i>H. fortunei</i> var. <i>hyacinthina</i> Hylander <i>H. 'Fortunei Hyacinthina'</i> Schmid 1991</p>	<p><i>H. 'Fortunei Hyacinthina'</i></p>
<p><i>H. fortunei</i> var. <i>obscura</i> Hylander <i>H. 'Fortunei Obscura'</i> Schmid 1991</p>	<p><i>H. 'Fortunei Obscura'</i></p>
<p><i>H. fortunei</i> var. <i>rugosa</i> Hylander <i>H. 'Fortunei Rugosa'</i> Schmid 1991</p>	<p><i>H. 'Fortunei Rugosa'</i></p>
<p><i>H. fortunei</i> var. <i>stenantha</i> Hylander <i>H. 'Fortunei Stenantha'</i> Schmid 1991</p>	<p><i>H. 'Fortunei Stenantha'</i></p>
<p><i>H. gracillima</i> Maekawa</p>	<p><i>H. gracillima</i></p>
<p><i>H. helonioides</i> Maekawa var. <i>helonioides</i> <i>H. 'Helonioides'</i> Schmid 1991</p>	<p><i>H. 'Helonioides'</i></p>

<p>1) Full Botanical Name (date of valid publication has been omitted. Refer to W.G. Schmid, <i>The Genus Hosta-Giboshi Zoku</i> for the valid publication date for each species and sub-species listed)</p> <p>2) Horticultural, Trade, and Incorrect Name(s)</p>	<p>AHS Sanctioned Name</p>
<p><i>H. helonioides</i> var. <i>albopicta</i> Maekawa <i>H. 'Helonioides Albopicta'</i> Schmid 1991</p>	<p><i>H. 'Helonioides Albopicta'</i></p>
<p><i>H. hippeastrum</i> Maekawa <i>H. 'Hippeastrum'</i> Schmid 1991</p>	<p><i>H. 'Hippeastrum'</i></p>
<p><i>H. jonesii</i> Chung</p>	<p><i>H. jonesii</i></p>
<p><i>H. kikutii</i> Maekawa var. <i>kikutii</i></p>	<p><i>H. kikutii</i></p>
<p><i>H. kikutii</i> 'Pruinose' (SEE <i>H. kikutii</i> var. <i>kikutii</i> f. <i>leuconota</i>)</p>	
<p><i>H. kikutii</i> <i>pruinosa</i> This name was not validly published and is incorrect under the rules of the ICN (SEE <i>H. kikutii</i> var. <i>kikutii</i> f. <i>leuconota</i>)</p>	
<p><i>H. kikutii</i> 'Soules Pruinose' A clonal collection from Japan</p>	<p><i>H. kikutii</i> 'Soules Pruinose'</p>
<p><i>H. kikutii</i> var. <i>caput-avis</i> Maekawa</p>	<p><i>H. kikutii</i> <i>caput-avis</i></p>
<p><i>H. kikutii</i> var. <i>densinervia</i> (Fujita et Tamura) (SEE <i>H. kikutii</i> var. <i>polyneuron</i>)</p>	
<p><i>H. kikutii</i> var. <i>kikutii</i> f. <i>leuconota</i> Schmid</p>	<p><i>H. kikutii</i> <i>leuconota</i></p>
<p><i>H. kikutii</i> var. <i>polyneuron</i> Fujita Published by Maekawa as <i>H. polyneuron</i>. In 2008 Fujita & Tamura split it into two taxa as <i>H. kikutii</i> var. <i>densinervia</i> and <i>H. kikutii</i> var. <i>scabinervia</i>. See <i>THJ</i> Vol. 40, No. 1, pp 9-11 (2009).</p>	<p><i>H. kikutii</i> <i>polyneuron</i></p>
<p><i>H. kikutii</i> var. <i>scabinervia</i> (Fujita et Tamura) (SEE <i>H. kikutii</i> var. <i>polyneuron</i>)</p>	
<p><i>H. kikutii</i> var. <i>tosana</i> (Maekawa) Maekawa</p>	<p><i>H. kikutii</i> <i>tosana</i></p>
<p><i>H. kikutii</i> var. <i>yakusimensis</i> Maekawa</p>	<p><i>H. kikutii</i> <i>yakusimensis</i></p>
<p><i>H. kiyosumiensis</i> Maekawa</p>	<p><i>H. kiyosumiensis</i></p>

<p>1) Full Botanical Name (date of valid publication has been omitted. Refer to W.G. Schmid, <i>The Genus Hosta-Giboshi Zoku</i> for the valid publication date for each species and sub-species listed)</p> <p>2) Horticultural, Trade, and Incorrect Name(s)</p>	<p>AHS Sanctioned Name</p>
<i>H. laevigata</i> Schmid	<i>H. laevigata</i>
<i>H. lancifolia</i> Engler <i>H. 'Lancifolia'</i> Schmid 1991	<i>H. 'Lancifolia'</i>
<i>H. longipes</i> f. <i>hypoglauca</i> Maekawa This species has two botanical types: The original type is a pruinose form similar to <i>H. longipes</i> f. <i>hypoglauca</i> . The common green form described by Maekawa (1940) is now named <i>H. longipes</i> var. <i>vulgata</i> to separate the two types. For further explanations see W. G. Schmid, <i>The Genus Hosta-Giboshi Zoku</i> , pp. 70–72 (1991).	<i>H. longipes hypoglauca</i>
<i>H. longipes</i> f. <i>sparsa</i> (Nakai) Schmid	<i>H. longipes sparsa</i>
<i>H. longipes</i> f. <i>viridipes</i> Maekawa	<i>H. longipes viridipes</i>
<i>H. longipes</i> var. <i>caduca</i> Fujita This species variety is not in the trade – it combines <i>H. fluctuans</i> and <i>H. nigrescens</i> .	<i>H. longipes caduca</i>
<i>H. longipes</i> var. <i>latifolia</i> Maekawa	<i>H. longipes latifolia</i>
<i>H. longipes</i> var. <i>vulgata</i> Schmid et Daniels	<i>H. longipes vulgata</i>
<i>H. longissima</i> (SEE <i>H. longissima</i> var. <i>longissima</i>)	
<i>H. longissima</i> var. <i>brevifolia</i> Maekawa (SEE <i>H. longissima</i> var. <i>longissima</i>)	
<i>H. longissima</i> var. <i>longifolia</i> (Honda) Schmid	<i>H. longissima longifolia</i>
<i>H. longissima</i> Honda var. <i>longissima</i> The full botanical name is an autonym, i.e., the species name is repeated as a varietal name and <i>H. longissima</i> becomes <i>H. longissima</i> var. <i>longissima</i> = <i>H. longissima</i> var. <i>brevifolia</i> . This specific variety is the <i>H. longissima</i> imported by von Siebold in the 1830s and has been in the trade for over a century. <i>H. longissima</i> var. <i>longifolia</i> is the form with much longer leaves recently imported from Japan as <i>Hosoba Mizu Giboshi</i> , now called <i>H. longissima</i> var. <i>longifolia</i> , which see.	<i>H. longissima</i>

<p>1) Full Botanical Name (date of valid publication has been omitted. Refer to W.G. Schmid, <i>The Genus Hosta-Giboshi Zoku</i> for the valid publication date for each species and sub-species listed)</p> <p>2) Horticultural, Trade, and Incorrect Name(s)</p>	<p>AHS Sanctioned Name</p>
<i>H. minor</i> Maekawa	<i>H. minor</i>
<i>H. minor</i> f. <i>alba</i> Maekawa <i>H. minor</i> ‘Alba’ Schmid 1991	<i>H. minor</i> ‘Alba’
<i>H. montana</i> Maekawa	<i>H. montana</i>
<i>H. montana</i> f. <i>macrophylla</i> Schmid	<i>H. montana macrophylla</i>
<i>H. montana</i> f. <i>ovatulancifolia</i> (Araki) Schmid	<i>H. montana ovatulancifolia</i>
<i>H. montana</i> var. <i>liliiflora</i> Maekawa <i>H. montana</i> ‘Liliiflora’ Schmid 1991	<i>H. montana</i> ‘Liliiflora’
<p><i>H. montana</i> var. <i>praeflorens</i> Maekawa</p> <p><i>H. montana</i> ‘Praeflorens’ as described by Maekawa is not in the trade. The plant sold as <i>H. montana</i> ‘Praeflorens’ is in fact <i>H. montana</i> f. <i>macrophylla</i> and should be renamed. For further synonyms and details, see W. G. Schmid, <i>The Genus Hosta-Giboshi Zoku</i> pp. 70-79.</p>	
<i>H. montana</i> var. <i>transiens</i> Maekawa <i>H. montana</i> ‘Transiens’ Schmid 1991	<i>H. montana</i> ‘Transiens’
<i>H. nakaiana</i> Maekawa	<i>H. nakaiana</i>
<i>H. nigrescens</i> Maekawa	<i>H. nigrescens</i>
<i>H. nigrescens</i> f. <i>elatior</i> Maekawa <i>H. nigrescens</i> ‘Elatior’ Schmid 1991	<i>H.</i> ‘Elatior’
<i>H. okamii</i> (SEE <i>H. sieboldii</i> f. <i>okamii</i>)	
<i>H. okamotoi</i> Araki	<i>H. okamotoi</i>
<i>H. opipara</i> Maekawa <i>H.</i> ‘Opipara’ Schmid 1991	<i>H.</i> ‘Opipara’

<p>1) Full Botanical Name (date of valid publication has been omitted. Refer to W.G. Schmid, <i>The Genus Hosta-Giboshi Zoku</i> for the valid publication date for each species and sub-species listed)</p> <p>2) Horticultural, Trade, and Incorrect Name(s)</p>	<p>AHS Sanctioned Name</p>
<i>H. pachyscapa</i> Maekawa	<i>H. pachyscapa</i>
<i>H. plantaginea</i> Ascherson var. <i>plantaginea</i> In the trade incorrectly as <i>H. plantaginea</i> ‘Grandiflora’.	<i>H. plantaginea</i>
<i>H. plantaginea</i> f. <i>aphrodite</i> Maekawa <i>H.</i> ‘Aphrodite’ Schmid 1991	<i>H.</i> ‘Aphrodite’
<i>H. plantaginea</i> f. <i>stenantha</i> Maekawa <i>H.</i> ‘Stenantha’ Schmid 1991	<i>H.</i> ‘Stenantha’
<i>H. plantaginea</i> ‘Venus’ <i>H.</i> ‘Venus’ Schmid 1991	<i>H.</i> ‘Venus’
<i>H. plantaginea</i> var. <i>japonica</i> Maekawa	<i>H. plantaginea japonica</i>
<i>H. polyneuron</i> (SEE <i>H. kikutii</i> var. <i>polyneuron</i>)	
<i>H. pulchella</i> Fujita	<i>H. pulchella</i>
<i>H. pycnophylla</i> Maekawa	<i>H. pycnophylla</i>
<i>H. rectifolia</i> Nakai var. <i>rectifolia</i>	<i>H. rectifolia</i>
<i>H. rectifolia pruinosa</i> (SEE <i>H. rectifolia</i> var. <i>rectifolia</i> f. <i>pruinosa</i>)	
<i>H. rectifolia</i> ‘Chiona Albiflora’ (SEE <i>H. rectifolia</i> var. <i>chionea</i> f. <i>albiflora</i>)	
<i>H. rectifolia</i> var. <i>australis</i> Maekawa ex Schmid	<i>H. rectifolia australis</i>
<i>H. rectifolia</i> var. <i>chionea</i> Maekawa <i>H. rectifolia</i> ‘Chionea’ Schmid 1991	<i>H. rectifolia</i> ‘Chionea’
<i>H. rectifolia</i> var. <i>chionea</i> f. <i>albiflora</i> Maekawa <i>H. rectifolia</i> ‘Albiflora’ Schmid 1991	<i>H. rectifolia</i> ‘Albiflora’
<i>H. rectifolia</i> var. <i>rectifolia</i> f. <i>pruinosa</i> Maekawa	<i>H. rectifolia pruinosa</i>

<p>1) Full Botanical Name (date of valid publication has been omitted. Refer to W.G. Schmid, <i>The Genus Hosta-Giboshi Zoku</i> for the valid publication date for each species and sub-species listed)</p> <p>2) Horticultural, Trade, and Incorrect Name(s)</p>	<p>AHS Sanctioned Name</p>
<i>H. rectifolia</i> var. <i>sachalinensis</i> (Koidzumi) Maekawa	<i>H. rectifolia sachalinensis</i>
<i>H. rohdeifolia</i> Maekawa f. <i>rohdeifolia</i> <i>H. 'Rohdeifolia'</i> Schmid 1991	<i>H. 'Rohdeifolia'</i>
<i>H. rohdeifolia</i> f. <i>viridis</i> Maekawa	<i>H. rohdeifolia viridis</i>
<i>H. rupifraga</i> Nakai	<i>H. rupifraga</i>
<i>H. sacra</i> Maekawa <i>H. 'Sacra'</i> Schmid 1991	<i>H. 'Sacra'</i>
<i>H. shikokiana</i> Fujita	<i>H. shikokiana</i>
<i>H. sieboldiana</i> (Hooker) Engler var. <i>sieboldiana</i> <i>H. 'Sieboldiana'</i> Schmid 2011/2012 See explanation in AHS's <i>The Online Hosta Journal</i> , 2011, Section Genus Hosta by W. George Schmid.	<i>H. 'Sieboldiana'</i>
<i>H. sieboldiana</i> var. <i>amplissima</i> Maekawa <i>H. 'Amplissima'</i> Schmid 1991	<i>H. 'Amplissima'</i>
<i>H. sieboldiana</i> var. <i>elegans</i> Hylander <i>H. 'Elegans'</i> Schmid 1991	<i>H. 'Elegans'</i>
<i>H. sieboldiana</i> var. <i>fortunei</i> Maekawa (SEE <i>H. 'Tokudama'</i>)	
<i>H. sieboldiana</i> var. <i>glabra</i> Fujita In 1976, Fujita combined <i>H. montana</i> and <i>H. 'Sieboldiana'</i> under one name. This placement combines a number of distinct species and varieties with plants of cultivated origin under one name and is not accepted here, because it will cause widespread confusion in horticulture. As a consequence, this name and its placement is not in horticultural use. <i>H. montana</i> is endemic in all of Japan and is found from the most southern regions of Japan to parts of Hokkaido. On the other hand, <i>H. 'Sieboldiana'</i> is considered to be of cultivated origin and has not been found in the wild in Japan. For these reasons, the name <i>H. sieboldiana</i> var. <i>glabra</i> is not in use.	
<i>H. sieboldiana</i> var. <i>hypophylla</i> Maekawa <i>H. 'Hypophylla'</i> Schmid 1991	<i>H. 'Hypophylla'</i>

<p>1) Full Botanical Name (date of valid publication has been omitted. Refer to W.G. Schmid, <i>The Genus Hosta-Giboshi Zoku</i> for the valid publication date for each species and sub-species listed)</p> <p>2) Horticultural, Trade, and Incorrect Name(s)</p>	<p>AHS Sanctioned Name</p>
<p><i>H. sieboldii</i> (Paxton) Ingram <i>H. sieboldii</i> ‘Sieboldii’ incorrect This is the white-margined form renamed <i>H. sieboldii</i> ‘Albomarginata’ per the ICNCP.</p>	<p><i>H. sieboldii</i> ‘Albomarginata’</p>
<p><i>H. sieboldii</i> f. <i>alba</i> (Irving) Hara <i>H. sieboldii</i> ‘Alba’ Schmid 1991</p>	<p><i>H. sieboldii</i> ‘Alba’</p>
<p><i>H. sieboldii</i> f. <i>angustifolia</i> (Regel) Schmid</p>	<p><i>H. sieboldii angustifolia</i></p>
<p><i>H. sieboldii</i> f. <i>bunchoko</i> (Maekawa) Schmid <i>H. ‘Bunchoko’</i> Schmid 1991</p>	<p><i>H. ‘Bunchoko’</i></p>
<p><i>H. sieboldii</i> f. <i>campanulata</i> (Araki) Schmid</p>	<p><i>H. sieboldii campanulata</i></p>
<p><i>H. sieboldii</i> f. <i>kifukurin</i> (Maekawa) Schmid <i>H. ‘Kifukurin Koba’</i> Schmid 1991 (Japanese synonym)</p>	<p><i>H. sieboldii ‘Kifukurin’</i></p>
<p><i>H. sieboldii</i> f. <i>kabitan</i> (Maekawa) Hara <i>H. ‘Kabitan’</i> Schmid 1991</p>	<p><i>H. ‘Kabitan’</i></p>
<p><i>H. sieboldii</i> f. <i>mediopicta</i> (Maekawa) Hara <i>H. ‘Mediopicta’</i> Schmid 1991</p>	<p><i>H. ‘Mediopicta’</i></p>
<p><i>H. sieboldii</i> f. <i>okamii</i> (Maekawa) Hara <i>H. sieboldii okamii</i></p>	<p><i>H. sieboldii okamii</i></p>
<p><i>H. sieboldii</i> f. <i>spathulata</i> (Miquel) Schmid This is the green typical species found in the wild. It has been assigned the specific epithet <i>spathulata</i>.</p>	<p><i>H. sieboldii spathulata</i></p>
<p><i>H. sieboldii</i> f. <i>subcrocea</i> (Maekawa) Hara <i>H. ‘Subcrocea’</i> Schmid 1991</p>	<p><i>H. ‘Subcrocea’</i></p>
<p><i>H. sieboldii thunbergiana</i> This name is incorrect (SEE <i>H. sieboldii</i> f. <i>spathulata</i>)</p>	
<p><i>H. sieboldii viridis</i> This name is incorrect (SEE <i>H. sieboldii</i> f. <i>spathulata</i>)</p>	

<p>1) Full Botanical Name (date of valid publication has been omitted. Refer to W.G. Schmid, <i>The Genus Hosta-Giboshi Zoku</i> for the valid publication date for each species and sub-species listed)</p> <p>2) Horticultural, Trade, and Incorrect Name(s)</p>	<p>AHS Sanctioned Name</p>
<p><i>H. sparsa</i> (SEE <i>H. longipes</i> f. <i>sparsa</i>)</p>	
<p><i>H. takahashii</i> Araki <i>H. takahashii</i></p>	<p><i>H. takahashii</i></p>
<p><i>H. takiensis</i> Araki <i>H. takiensis</i></p>	<p><i>H. takiensis</i></p>
<p><i>H. tardiva</i> Nakai <i>H. tardiva</i></p>	<p><i>H. tardiva</i></p>
<p><i>H. tardiflora</i> (Irving) Stearn apud Grey This is incorrectly considered a form of <i>H. longipes</i> f. <i>sparsa</i>. The latter has purple anthers; <i>H. 'Tardiflora'</i> has yellow anthers. Details in <i>THJ</i>, Vol. 27, No. 2, pp. 75-78 (1992).</p>	<p><i>H. 'Tardiflora'</i></p>
<p><i>H. tibae</i> Maekawa Also spelled incorrectly as <i>H. chibai</i> and <i>H. tibai</i></p>	<p><i>H. tibae</i></p>
<p><i>H. tokudama</i> Maekawa <i>H. 'Tokudama'</i> Schmid 1991</p>	<p><i>H. 'Tokudama'</i></p>
<p><i>H. tokudama</i> f. <i>aureonebulosa</i> Maekawa <i>H. 'Tokudama Aureonebulosa'</i> Schmid 1991</p>	<p><i>H. 'Tokudama Aureonebulosa'</i></p>
<p><i>H. tokudama</i> f. <i>flavocircinalis</i> Maekawa <i>H. 'Tokudama Flavocircinalis'</i> Schmid 1991</p>	<p><i>H. 'Tokudama 'Flavocircinalis'</i></p>
<p><i>H. tokudama</i> f. <i>flavoplanata</i> Maekawa <i>H. 'Tokudama Flavoplanata'</i> Schmid 1991</p>	<p><i>H. 'Tokudama 'Flavoplanata'</i></p>
<p><i>H. tortifrons</i> Maekawa <i>H. 'Tortifrons'</i> Schmid 1991</p>	<p><i>H. 'Tortifrons'</i></p>
<p><i>H. tosana</i> (SEE <i>H. kikutii</i> var. <i>tosana</i>)</p>	
<p><i>H. tsushimensis</i> Fujita</p>	<p><i>H. tsushimensis</i></p>
<p><i>H. tsushimensis</i> var <i>tibae</i> Fujita & Tamura (SEE <i>H. tibae</i>)</p>	

1) Full Botanical Name (date of valid publication has been omitted. Refer to W.G. Schmid, <i>The Genus Hosta-Giboshi Zoku</i> for the valid publication date for each species and sub-species listed) 2) Horticultural, Trade, and Incorrect Name(s)	AHS Sanctioned Name
<i>H. undulata</i> Bailey <i>H. 'Undulata'</i> Schmid 1991	<i>H. 'Undulata'</i>
<i>H. undulata</i> var. <i>albomarginata</i> Maekawa <i>H. 'Undulata Albomarginata'</i> Schmid 1991	<i>H. 'Undulata Albomarginata'</i>
<i>H. undulata</i> var. <i>erromena</i> (Stearn) Maekawa <i>H. 'Erromena'</i> Schmid 1991	<i>H. 'Undulata Erromena'</i>
<i>H. undulata</i> var. <i>univittata</i> (Miquel) Hylander <i>H. 'Univittata'</i> Schmid 1991	<i>H. 'Undulata Univittata'</i>
<i>H. ventricosa</i> Stearn	<i>H. ventricosa</i>
<i>H. ventricosa</i> 'Aureomaculata' Hensen	<i>H. ventricosa</i> 'Aureomaculata'
<i>H. ventricosa</i> 'Aureomarginata' Hensen	<i>H. ventricosa</i> 'Aureomarginata'
<i>H. venusta</i> Maekawa	<i>H. venusta</i>
<i>H. yingeri</i> Jones	<i>H. yingeri</i>

Compiled by the Nomenclature Committee of the American Hosta Society (AHS) in
 accordance with the rules of the
International Code of Nomenclature for algae, fungi, and plants (ICN)
 (Melbourne Code 2011) and the
International Code for Nomenclature of Cultivated Plants (ICNCP; 8th Edition 2009)
 Published as a Web document by the Nomenclature Committee of
 The American Hosta Society
 Third Edition January 2012
 Copyright © 2012 by The American Hosta Society
 All Rights Reserved